



Model No. **E-8600-N**



android 11

Android 11 Operating System



Available Up to 8gb System Memory



Up to 128 GB System Storage



USB TYPE-C

Front Type-C USB Port



USB3.0 x3ports In Front



20-point Touch Screen



Wireless Screen Sharing up to 4 devices



4k ULTRA High Definition



Model No. **E-8600-N Specification**

Panel	LCD Size	75"	
	Type of Panel	BOE ADS Panel / LG IPS Panel	
	Respond Time	4ms	
	Visual Ratio	16:9	
	Max Visual Area	1870.2mm*1051.6mm/1895.04*1065.96mm	
	Resolution	3840 (H) ×2160 (V)	
	Pixel pitch	0.4935×0.4935mm	
	Frequency	60Hz	
	Display Colors	1.07B (10bit)	
	Color Saturability	68%	
	Contrast Ratio (Type)	4000:1	
	Viewing Angle	178°(H/V)	
	Light source	DLED	
	Brightness	400cd/m2	
	Life Span	≥50000hrs	
Audio-video parameters	Speaker	Soundtrack	2.0
		Power	2×20W
Touch parameter	Touch specifications	Non-contact infrared sensing technology	
	Support Systems	Windows10/Windows8/Windows7/Windows XP/Android/Linux/Mac OS X/Chrome	
	Touch Points	20 Points Touch	
	Min. Identifier	2mm	
	Input mode	Opaque object (finger, pen, etc)	
	Respond time	≤10ms	
	Touch depth	±1mm	
	Writing height	≤3mm	
	Writing display	Single Stylus pen two-color	
	Output co-ordinates	32767 (W) x 32767(D)	
System	System Version	Android 11.0	
	CPU	Quad Core A55	
	GPU	Mali G52MP2	
	RAM	4GB / 8GB System Memory	
	ROM	32GB / 128gb System Storage	
Wireless	Bluetooth	Version	5.0
		Working Frequency	2.4GHz
		Working Distance	0~10m
		Remark	Via the wireless module SI07B

	Wi-Fi	Version	802.11ac/b/g/n/a/ax
		Working Frequency	2.4GHz/5GHz
		Working Distance	0~10m
		Remark	Via the wireless module SI07B
I/O Interface	HDMI IN	2	
	USB 2.0	1	
	USB 3.0	2	
	TOUCH	1	
	AUDIO IN	1	
	Line OUT	1	
	Optical OUT	1	
	RS232	1	
	RJ45 OUT	1	
	RJ45 IN	1	
Front Interface	USB3.0	2	
	TOUCH USB	1	
	HDMI I	1	
	Type-C	1 (Full functional is Optional)	
Power	Voltage	100-240V~ 50/60Hz 4A	
	Max. power consumption	450W	
	Standby power consumption	≤0.5W	
Structure	Bare dimension	1957×1160×100mm	
	Packing dimension	2120×220×1325mm	
	Machine + wall mount thickness	130mm (WIB9060G)	
	VESA hole site	800×600mm	
	Wall mounting screw specifications	M8×25mm	
	Net weight	85KGS	
	Gross weight	98KGS	
Accessories	Power cord	×1	
	Stylus pen	×2	
	Wall mount	×1	
	Operation manual	×1	
Environment	Working temperature	0°C~40°C	
	Working humidity	10%~90%RH	
	Storage temperature	-20°C~60°C	
	Storage humidity	10%~90%RH	
	Working Elevation	<5000m	
Standard modul	WIFI Module Model	SI07B	
Optional module	OPS model	OPS42A	

Model No. E-8600-N





Model No. **E-8600-N**

Accessories & Product Packaging

Power Cable	1.5M *1
Warranty Card	X 1
QC Card	X 1
Remote Control	X 1
Pen	X 2
Wall Mount Bracket	X 1

					
Interactive Whiteboard	Wall Bracket	Remote Control	Writing Pen	Power Cable	Antena

	
EPE/EPS	Corrugated Box



Model No. **E-8600-N**

